

DISK PORCELAIN

Photo features Grey 12" x 24"



Photo features Anthracite 24" x 24"

GLASS COLORS AND SIZES

COLORS



Anthracite 24" x 24" - PO6060DIS390R




Beige 24" x 24" - PO6060DIS320R



Brown 24" x 24" - PO6060DIS370R



Grey 24" x 24" - PO6060DIS310R



Anthracite 12" x 24" - PO3060DIS390R



Beige 12" x 24" - PO3060DIS320R



Brown 12" x 24" - PO3060DIS370R



Grey 12" x 24" - PO3060DIS310R



Anthracite 2" x 2" - PO0505DIS390M




Beige 2" x 2" - PO0505DIS320M



Brown 24" x 24" - PO0505DIS370M



Grey 12" x 24" - PO0505DIS310M



Anthracite 14" x 16" - PO2040DIS39ESA



Beige 14" x 16" - PO2040DIS32ESA



Brown 14" x 16" - PO2040DIS37ESA



Grey 14" x 16" - PO2040DIS31ESA

SIZES

2" x 2" Mosaic
12" x 24"
24" x 24"
14" x 16" Hexagon

Sq. Ft / Carton	Pieces / Carton
5.81	6
11.62	6
11.62	3
10.07	3



Photo features Brown Hexagon

PORCELAIN INSTALLATION

Thickness

Grout Joint Recommendation

Shade Variation

3/8"

1/4"

V3

*Large format and rectangular wall tile require specific attention during installation. In view of ANSI and manufacturing tolerances, it is understood that no more than 33% offset should be used for installation.

PORCELAIN APPLICATIONS

Residential

Light Commercial

Commercial

Exterior

Walls/Backsplashes

✓*

✓*

✓*

✓*

Floors

✓

✓

✓

Shower Pan

✓**

✓**

✓**

Pool Lining

✓

✓

✓

Countertops

✓

✓

✓

*Suitable for exterior wall applications in freezing and non-freezing climates, when proper installation methods are followed.

**Applies to 2" x 2" Mosaic only

TEST RESULTS

ASTM#

Results

NOTES

Water Absorption

C373

≤ 0.5%

Breaking Strength

C648

≥ 100 lbs

Surface Abrasion

MOHS

7.0

Chemical Resistance

C650

Resistant

DCOF

A137.1

≥ 0.42

Variations in shade, texture and edge profile are inherent in all glass, ceramic, porcelain and stone tiles. Always inspect product prior to installation.

TO VIEW THE COMPLETE COLLECTION VISIT US AT:

www.lungarnoceramics.com

CONTACT US: Phone: (877) 928-0132 Fax: (866) 300-0630

lungarno
CERAMICS